

CERTIFICATE OF ANALYSIS

Eagle Labs Inc.

Company Address : Eagle Labs Inc.
630 Brooker Creek Rd

Product ID: CLQ0333-01-15

Product Name: Nail Fungus 15 ML (.5 oz) unlabeled

Lot No. : 2404L018

MFG. Date 05/07/2024

Expiry Date : 05/31/2026

PROPERTIES

TEST DESCRIPTION	TEST METHOD	SPECIFICATION	TEST UNIT	RESULTS
Appearance	METH.011	Pass-Fail	None	Pass
Density	METH.008	0.82-0.9	g/ml	0.84
Escherichia coli	AOAC-RI 050601	Pass-Fail	10g	Pass
Listeria monocytogenes	AFNOR AES 10/03-09/00	Pass-Fail	10g	Pass
Pseudomonas aeruginosa	USP <62>	Pass-Fail	10g	Pass
Salmonella spp.	AOAC 020502	Pass-Fail	10g	Pass
Staphylococcus aureus	AOAC-RI 100503	Pass-Fail	10g	Pass
Total Mold Count	AOAC 2014.05	NMT 100	cfu/g or cfu/ml	<10
Total Plate Count	AOAC 990.12	NMT 1,000	cfu/g or cfu/ml	<10
Total Yeast Count	AOAC 2014.05	NMT 100	cfu/g or cfu/ml	<10
Undecylenic Acid	GC	NMT 10.0	%	5.7
Lead	ICP-MS	NMT 5	ppm	0.004
Arsenic	ICP-MS	NMT 15	ppm	0.011
Cadmium	ICP-MS	NMT 5	ppm	0.001
Mercury	ICP-MS	NMT 30	ppm	0.003
Candida albicans	USP	Pass-Fail	1g	Pass

QA Manager Signature



Date

05-29-24